



HP ADHESIVES LIMITED



PVC, UPVC & CPVC SOLVENT CEMENT



Under Assistance From
**MIGHTY PLUMBING SOLUTIONS
ADHESIVE LLC., U.S.A.**



901 PVC HIGH PRESSURE SOLVENT CEMENT

PVC solvent cement is used for all classes and schedules with interference fit through 12" diameter. For use with rigid / SWR PVC Pipes & Fittings

Meets ASTM D-2564.

Tube - 10 ml, 20 ml, 50 ml, 100 ml

Tin - 50 ml, 100 ml, 250 ml, 500 ml, 1 litre

Bottle - 25 ml, 50 ml, 100 ml, 250 ml, 500 ml, 1 litre, 5 litre

Colour:



GOLD PVC HIGH PRESSURE SOLVENT CEMENT

PVC solvent cement is used for all classes and schedules with interference fit through 12" diameter. For use with rigid / SWR PVC Pipes & Fittings

Meets ASTM D-2564.

Tin - 50 ml, 100 ml, 250 ml, 500 ml, 1 litre, 5 litre

Colour:



GOLD CPVC MEDIUM DUTY SOLVENT CEMENT

1 Step Gold solvent cement for CTS 11 & 13.5 and ASTM sch. 40 & 80 upto 4" dia. For use on cold & hot water piping systems upto 82°C (180°F)

Meets ASTM F-493.

Tube - 10 ml, 20 ml, 29 ml, 50 ml, 59 ml

Tin - 59 ml, 100 ml, 118 ml, 237 ml, 473 ml, 946 ml

Colour:



914 CPVC HEAVY DUTY SOLVENT CEMENT

CPVC solvent cement is used for all classes and schedules with interference fit through 12" diameter.

Meets ASTM F-493.

Tin - 59 ml, 118 ml, 237 ml, 473 ml, 946 ml (Tin)

Colour:



904 UPVC MEDIUM DUTY SOLVENT CEMENT

UPVC solvent cement is used for all classes and schedules with interference fit through 4" diameter.

Meets ASTM D-2564.

Tube - 10 ml, 20 ml, 50 ml

Tin - 59 ml, 100 ml, 118 ml, 237 ml, 473 ml, 946 ml

Colour:





911 UPVC HEAVY DUTY SOLVENT CEMENT

UPVC solvent cement is used for all classes and schedules with interference fit through 6" diameter.

Meets ASTM D-2564.

Tube - 20 ml, 50 ml, 59 ml

Tin - 59 ml, 118 ml, 237 ml, 473 ml, 1 litre

Colour:



917 UPVC HEAVY DUTY SOLVENT CEMENT

UPVC solvent cement is used for all classes and schedules with interference fit through 12" diameter.

Meets ASTM D-2564.

Tin - 118 ml, 237 ml, 473 ml, 946 ml

Colour:



RUBBER LUBRICANT

For simple, quick, watertight joining of HP PVC soil, waste and rain water (SWR) drainage fittings

Bottle - 50 gms, 100 gms, 250 gms, 500 gms, 1 kg



STRONGTITE BLACK LIQUID SEALANT

Easy to apply, Plugs leakage 100%, Most reliable for pipe joints, Suitable for pipe carrying solvents & chemicals

Bottle - 40 gms, 100 gms, 200 gms, 500 gms, 1000 gms



STRONGTITE WHITE LIQUID SEALANT

Easy to apply, Plugs leakage 100%, Most reliable for pipe joints, Suitable for pipe carrying solvents & chemicals

Bottle - 40 gms, 100 gms, 200 gms, 500 gms



HP ADHESIVES LIMITED

G-11, Unique House, Chakala, Andheri (E), Mumbai - 400099.

Ph: +91-22-68196300

Visit us @ www.hpadhesives.com | For Sales: sales@hpadhesives.com

For General Inquires: info@hpadhesives.com

We also manufacture

Silicone Sealant | Contact Adhesive | PVA / White Glue | FRP Manhole Cover